

CHAPTER 7: BIBLIOGRAPHY OF JOURNAL ARTICLES USING IMPROVE DATA

- Ames, R. B. and W. C. Malm (2001), Chemical species' contributions to the upper extremes of aerosol fine mass, *Atmospheric Environment*, 35, 5193-5204.
- Ames, R. B. and W. C. Malm (2001), Comparison of sulfate and nitrate particle mass concentrations measured by IMPROVE and the CDN, *Atmospheric Environment*, 35, 905-916.
- Andronache, C. (2004), Estimates of sulfate aerosol wet scavenging coefficient for locations in the Eastern United States, *Atmospheric Environment*, 38, 795-804.
- Ashbaugh, L. L. and R. A. Eldred (2004), Loss of particle nitrate from Teflon sampling filters: Effects on measured gravimetric mass in California and in the IMPROVE network, *Journal of the Air & Waste Management Association*, 54, 93-104.
- Begum, B. A., P. K. Hopke, and W. X. Zhao (2005), Source identification of fine particles in Washington, DC, by expanded factor analysis modeling, *Environmental Science & Technology*, 39, 1129-1137.
- Bennett, J. P. and S. Benson (2005), Elemental content of lichens of the Point Reyes Peninsula, northern California, *Science of the Total Environment*, 343, 199-206.
- Brewer, P. F. and J. P. Adlhoch (2005), Trends in speciated fine particulate matter and visibility across monitoring networks in the southeastern United States, *Journal of the Air & Waste Management Association*, 55, 1663-1674.
- Cao, J. J., S. C. Lee, K. F. Ho, S. C. Zou, K. Fung, Y. Li, J. G. Watson, and J. C. Chow (2004), Spatial and seasonal variations of atmospheric organic carbon and elemental carbon in Pearl River Delta Region, China, *Atmospheric Environment*, 38, 4447-4456.
- Cao, J. J., F. Wu, J. C. Chow, S. C. Lee, Y. Li, S. W. Chen, Z. S. An, K. K. Fung, J. G. Watson, C. S. Zhu, and S. X. Liu (2005), Characterization and source apportionment of atmospheric organic and elemental carbon during fall and winter of 2003 in Xi'an, China, *Atmospheric Chemistry and Physics*, 5, 3127-3137.
- Cao, J. J., S. C. Lee, J. C. Chow, Y. Cheng, K. F. Ho, K. Fung, S. X. Liu, and J. G. Watson (2005), Indoor/outdoor relationships for PM_{2.5} and associated carbonaceous pollutants at residential homes in Hong Kong - case study, *Indoor Air*, 15, 197-204.
- Castro, L. M., C. A. Pio, R. M. Harrison, and D. J. T. Smith (1999), Carbonaceous aerosol in urban and rural European atmospheres: estimation of secondary organic carbon concentrations, *Atmospheric Environment*, 33, 2771-2781.
- Chan, Y. C., G. H. McTainsh, R. W. Simpson, P. D. Vowles, D. D. Cohen, and G. M. Bailey (2002), Light degrading properties of size-fractionated PM₁₀ aerosol samples collected from an industrial area in Brisbane, Australia, *Aerosol Science and Technology*, 36, 890-898.

- Chen, L. W. A., J. C. Chow, B. G. Doddridge, R. R. Dickerson, W. F. Ryan, and P. K. Mueller (2003), Analysis of a summertime PM_{2.5} and haze episode in the mid-Atlantic region, *Journal of the Air & Waste Management Association*, 53, 946-956.
- Cheung, H. C., T. Wang, K. Baumann, and H. Guo (2005), Influence of regional pollution outflow on the concentrations of fine particulate matter and visibility in the coastal area of southern China, *Atmospheric Environment*, 39, 6463-6474.
- Chow, J. C., J. G. Watson, D. Crow, D. H. Lowenthal, and T. Merrifield (2001), Comparison of IMPROVE and NIOSH carbon measurements, *Aerosol Science and Technology*, 34, 23-34.
- Chow, J. C. and J. G. Watson (2002), PM_{2.5} carbonate concentrations at regionally representative Interagency Monitoring of Protected Visual Environment sites, *Journal of Geophysical Research-Atmospheres*, 107.
- Chow, J. C., J. G. Watson, L. W. A. Chen, W. P. Arnott, and H. Moosmuller (2004), Equivalence of elemental carbon by thermal/optical reflectance and transmittance with different temperature protocols, *Environmental Science & Technology*, 38, 4414-4422.
- Chow, J. C., J. G. Watson, P. K. K. Louie, L. W. A. Chen, and D. Sin (2005), Comparison of PM_{2.5} carbon measurement methods in Hong Kong, China, *Environmental Pollution*, 137, 334-344.
- Copeland, S. A. (2005), A statistical analysis of visibility-impairing particles in federal class I areas, *Journal of the Air & Waste Management Association*, 55, 1621-1635.
- Corbin, K. C., S. M. Kreidenweis, and T. H. Vonder Haar (2002), Comparison of aerosol properties derived from Sun photometer data and ground-based chemical measurements, *Geophysical Research Letters*, 29.
- Day, D. E. and W. C. Malm (2001), Aerosol light scattering measurements as a function of relative humidity: a comparison between measurements made at three different sites, *Atmospheric Environment*, 35, 5169-5176.
- Debell, L. J., R. W. Talbot, J. E. Dibb, J. W. Munger, E. V. Fischer, and S. E. Frolking (2004), A major regional air pollution event in the northeastern United States caused by extensive forest fires in Quebec, Canada, *Journal of Geophysical Research-Atmospheres*, 109.
- Debell, L. J., M. Vozzella, R. W. Talbot, and J. E. Dibb (2004), Asian dust storm events of spring 2001 and associated pollutants observed in New England by the Atmospheric Investigation, Regional Modeling, Analysis and Prediction (AIRMAP) monitoring network, *Journal of Geophysical Research-Atmospheres*, 109.
- Eatough, D. J., D. A. Eatough, L. Lewis, and E. A. Lewis (1996), Fine particulate chemical composition and light extinction at Canyonlands National Park using organic particulate material concentrations obtained with a multisystem, multichannel diffusion denuder sampler, *Journal of Geophysical Research-Atmospheres*, 101, 19515-19531.

- Eatough, D. J., M. Green, W. Moran, and R. Farber (2001), Potential particulate impacts at the Grand Canyon from northwestern Mexico, *Science of the Total Environment*, 276, 69-82.
- Eatough, D. J., R. W. Long, W. K. Modey, and N. L. Eatough (2003), Semi-volatile secondary organic aerosol in urban atmospheres: meeting a measurement challenge, *Atmospheric Environment*, 37, 1277-1292.
- El-Zanan, H. S., D. H. Lowenthal, B. Zielinska, J. C. Chow, and N. Kumar (2005), Determination of the organic aerosol mass to organic carbon ratio in IMPROVE samples, *Chemosphere*, 60, 485-496.
- Eldred, R. A. and T. A. Cahill (1994), Trends in Elemental Concentrations of Fine Particles at Remote Sites in the United-States-Of-America, *Atmospheric Environment*, 28, 1009-1019.
- Eldred, R. A. and T. A. Cahill (1997), Sulfate sampling artifact from SO₂ and alkaline soil, *Environmental Science & Technology*, 31, 1320-1324.
- Eldred, R. A., T. A. Cahill, and R. G. Flocchini (1997), Composition of PM(2.5) and PM(10) aerosols in the IMPROVE network, *Journal of the Air & Waste Management Association*, 47, 194-203.
- Eldred, R. A. (1997), Comparison of selenium and sulfur at remote sites throughout the United States, *Journal of the Air & Waste Management Association*, 47, 204-211.
- Frank, N. H. (2006), Retained nitrate, hydrated sulfates, and carbonaceous mass in Federal Reference Method fine particulate matter for six eastern US cities, *Journal of the Air & Waste Management Association*, 56, 500-511.
- Fung, K., J. C. Chow, and J. G. Watson (2002), Evaluation of OC/EC speciation by thermal manganese dioxide oxidation and the IMPROVE method, *Journal of the Air & Waste Management Association*, 52, 1333-1341.
- Gebhart, K. A., W. C. Malm, and M. Flores (2000), A preliminary look at source-receptor relationships in the Texas-Mexico border area, *Journal of the Air & Waste Management Association*, 50, 858-868.
- Gebhart, K. A., S. Copeland, and W. C. Malm (2001), Diurnal and seasonal patterns in light scattering, extinction, and relative humidity, *Atmospheric Environment*, 35, 5177-5191.
- Gebhart, K. A., S. M. Kreidenweis, and W. C. Malm (2001), Back-trajectory analyses of fine particulate matter measured at Big Bend National Park in the historical database and the 1996 scoping study, *Science of the Total Environment*, 276, 185-204.
- Gebhart, K. A., W. C. Malm, and L. L. Ashbaugh (2005), Spatial, temporal, and interspecies patterns in fine particulate matter in Texas, *Journal of the Air & Waste Management Association*, 55, 1636-1648.

- Gebhart, K. A., B. A. Schichtel, M. G. Barna, and W. C. Malm (2006), Quantitative back-trajectory apportionment of sources of particulate sulfate at Big Bend National Park, TX, *Atmospheric Environment*, 40, 2823-2834.
- Gego, E., P. S. Porter, C. Hogrefe, and J. S. Irwin (2006), An objective comparison of CMAQ and REMSAD performances, *Atmospheric Environment*, 40, 4920-4934.
- Gego, E. L., P. S. Porter, J. S. Irwin, C. Hogrefe, and S. T. Rao (2005), Assessing the comparability of ammonium, nitrate and sulfate concentrations measured by three air quality monitoring networks, *Pure and Applied Geophysics*, 162, 1919-1939.
- Green, M., R. Farber, N. Lien, K. Gebhart, J. Molenaar, H. Iyer, and D. Eatough (2005), The effects of scrubber installation at the Navajo generating station on particulate sulfur and visibility levels in the Grand Canyon, *Journal of the Air & Waste Management Association*, 55, 1675-1682.
- Heald, C. L., D. J. Jacob, R. J. Park, B. Alexander, T. D. Fairlie, R. M. Yantosca, and D. A. Chu (2006), Transpacific transport of Asian anthropogenic aerosols and its impact on surface air quality in the United States, *Journal of Geophysical Research-Atmospheres*, 111.
- Hidy, G. M. and C. L. Blanchard (2005), The midlatitude North American background aerosol and global aerosol variation, *Journal of the Air & Waste Management Association*, 55, 1585-1599.
- Holmes, C. W. and R. Miller (2004), Atmospherically transported elements and deposition in the Southeastern United States: local or transoceanic?, *Applied Geochemistry*, 19, 1189-1200.
- Horvath, H. (1997), Comparison of the light absorption coefficient and carbon measures for remote aerosols: An independent analysis of data from the IMPROVE network I and II: Discussion, *Atmospheric Environment*, 31, 2885-2887.
- Huffman, H. D. (1996), Comparison of the light absorption coefficient and carbon measures for remote aerosols: An independent analysis of data from the IMPROVE network .1, *Atmospheric Environment*, 30, 73-83.
- Huffman, H. D. (1996), The reconstruction of aerosol light absorption by particle measurements at remote sites: An independent analysis of data from the IMPROVE network .2, *Atmospheric Environment*, 30, 85-99.
- Huffman, H. D. (1997), Comparison of the light absorption coefficient and carbon measures for remote aerosols: An independent analysis of data from the IMPROVE network I and II: Reply, *Atmospheric Environment*, 31, 2889-2890.
- Iyer, H., P. Patterson, and W. C. Malm (2000), Trends in the extremes of sulfur concentration distributions, *Journal of the Air & Waste Management Association*, 50, 802-808.

- Kim, E., P. K. Hopke, T. V. Larson, N. N. Maykut, and J. Lewtas (2004), Factor analysis of Seattle fine particles, *Aerosol Science and Technology*, 38, 724-738.
- Kim, E. and P. K. Hopke (2004), Source apportionment of fine particles in Washington, DC, utilizing temperature-resolved carbon fractions, *Journal of the Air & Waste Management Association*, 54, 773-785.
- Kim, E. and P. K. Hopke (2004), Improving source identification of fine particles in a rural northeastern US area utilizing temperature-resolved carbon fractions, *Journal of Geophysical Research-Atmospheres*, 109.
- Kim, E. and P. K. Hopke (2005), Improving source apportionment of fine particles in the eastern United States utilizing temperature-resolved carbon fractions, *Journal of the Air & Waste Management Association*, 55, 1456-1463.
- Kim, E., P. K. Hopke, D. M. Kenski, and M. Koerber (2005), Sources of fine particles in a rural Midwestern US area, *Environmental Science & Technology*, 39, 4953-4960.
- Kim, E. and P. K. Hopke (2006), Characterization of fine particle sources in the Great Smoky Mountains area, *Science of the Total Environment*, 368, 781-794.
- Kim, K. W., Y. J. Kim, and S. J. Oh (2001), Visibility impairment during Yellow Sand periods in the urban atmosphere of Kwangju, Korea, *Atmospheric Environment*, 35, 5157-5167.
- Kim, K. W., Z. S. He, and Y. J. Kim (2004), Physicochemical characteristics and radiative properties of Asian dust particles observed at Kwangju, Korea, during the 2001 ACE-Asia intensive observation period, *Journal of Geophysical Research-Atmospheres*, 109.
- Klouda, G. A., J. J. Filliben, H. J. Parish, J. J. Chow, J. G. Watson, and R. A. Cary (2005), Reference material 8785: Air particulate matter on filter media, *Aerosol Science and Technology*, 39, 173-183.
- Kreidenweis, S. M., L. A. Remer, R. Brientjes, and O. Dubovik (2001), Smoke aerosol from biomass burning in Mexico: Hygroscopic smoke optical model, *Journal of Geophysical Research-Atmospheres*, 106, 4831-4844.
- Lansinger, J. M., C. F. Peistrup, W. G. Tank, and J. L. Isenogle (1977), Analysis of National-Park Service Visibility Data, *Bulletin of the American Meteorological Society*, 58, 871.
- Liu, W., P. K. Hopke, and R. A. VanCuren (2003), Origins of fine aerosol mass in the western United States using positive matrix factorization, *Journal of Geophysical Research-Atmospheres*, 108.
- Lowenthal, D. and N. Kumar (2006), Light scattering from sea-salt aerosols at Interagency Monitoring of Protected Visual Environments (IMPROVE) sites, *Journal of the Air & Waste Management Association*, 56, 636-642.

- Lowenthal, D. H., J. G. Watson, and P. Saxena (2000), Contributions to light extinction during project MOHAVE, *Atmospheric Environment*, 34, 2351-2359.
- Lowenthal, D. H. and N. Kumar (2003), PM_{2.5} mass and light extinction reconstruction in IMPROVE, *Journal of the Air & Waste Management Association*, 53, 1109-1120.
- Lowenthal, D. H. and N. Kumar (2004), Variation of mass scattering efficiencies in IMPROVE, *Journal of the Air & Waste Management Association*, 54, 926-934.
- Malm, W. C. and J. V. Molenar (1984), Visibility Measurements in National-Parks in the Western United-States, *Journal of the Air Pollution Control Association*, 34, 899-904.
- Malm, W. C. and G. Persha (1991), Considerations in the Accuracy of A Long-Path Transmissometer, *Aerosol Science and Technology*, 14, 459-471.
- Malm, W. C. (1992), Characteristics and Origins of Haze in the Continental United-States, *Earth-Science Reviews*, 33, 1-36.
- Malm, W. C., K. A. Gebhart, J. Molenar, T. Cahill, R. Eldred, and D. Huffman (1994), Examining the Relationship Between Atmospheric Aerosols and Light Extinction at Mount-Rainier-National-Park and North-Cascades-National-Park, *Atmospheric Environment*, 28, 347-360.
- Malm, W. C. and K. A. Gebhart (1997), Source apportionment of sulfur and light extinction using receptor modeling techniques, *Journal of the Air & Waste Management Association*, 47, 250-268.
- Malm, W. C. and M. L. Pitchford (1997), Comparison of calculated sulfate scattering efficiencies as estimated from size-resolved particle measurements at three national locations, *Atmospheric Environment*, 31, 1315-1325.
- Malm, W. C. and D. E. Day (2000), Optical properties of aerosols at Grand Canyon National Park, *Atmospheric Environment*, 34, 3373-3391.
- Malm, W. C. and J. F. Sisler (2000), Spatial patterns of major aerosol species and selected heavy metals in the United States, *Fuel Processing Technology*, 65, 473-501.
- Malm, W. C. and D. E. Day (2001), Estimates of aerosol species scattering characteristics as a function of relative humidity, *Atmospheric Environment*, 35, 2845-2860.
- Malm, W. C., B. A. Schichtel, R. B. Ames, and K. A. Gebhart (2002), A 10-year spatial and temporal trend of sulfate across the United States, *Journal of Geophysical Research-Atmospheres*, 107.
- Malm, W. C., B. A. Schichtel, M. L. Pitchford, L. L. Ashbaugh, and R. A. Eldred (2004), Spatial and monthly trends in speciated fine particle concentration in the United States, *Journal of Geophysical Research-Atmospheres*, 109.

- Malm, W. C., D. E. Day, C. Carrico, S. M. Kreidenweis, J. L. Collett, G. McMeeking, T. Lee, J. Carrillo, and B. Schichtel (2005), Intercomparison and closure calculations using measurements of aerosol species and optical properties during the Yosemite Aerosol Characterization Study, *Journal of Geophysical Research-Atmospheres*, 110.
- Matsui, T., S. M. Kreidenweis, R. A. Pielke, B. Schichtel, H. B. Yu, M. Chin, D. A. Chu, and D. Niyogi (2004), Regional comparison and assimilation of GOCART and MODIS aerosol optical depth across the eastern US, *Geophysical Research Letters*, 31.
- Maykut, N. N., J. Lewtas, E. Kim, and T. V. Larson (2003), Source apportionment of PM_{2.5} at an urban IMPROVE site in Seattle, Washington, *Environmental Science & Technology*, 37, 5135-5142.
- McDonald, K. and M. Shepherd (2004), Characterization of visibility impacts related to fine particulate matter in Canada, *Journal of the Air & Waste Management Association*, 54, 1061-1068.
- McMeeking, G. R., S. M. Kreidenweis, M. Lunden, J. Carrillo, C. M. Carrico, T. Lee, P. Herckes, G. Engling, D. E. Day, J. Hand, N. Brown, W. C. Malm, and J. L. Collett (2006), Smoke-impacted regional haze in California during the summer of 2002, *Agricultural and Forest Meteorology*, 137, 25-42.
- Mebust, M. R., B. K. Eder, F. S. Binkowski, and S. J. Roselle (2003), Models-3 community multiscale air quality (CMAQ) model aerosol component - 2. Model evaluation, *Journal of Geophysical Research-Atmospheres*, 108.
- Morris, R., B. Koo, and G. Yarwood (2005), Evaluation of multisectional and two-section particulate matter photochemical grid models in the western United States, *Journal of the Air & Waste Management Association*, 55, 1683-1693.
- Morris, R. E., B. Koo, A. Guenther, G. Yarwood, D. McNally, T. W. Tesche, G. Tonnesen, J. Boylan, and P. Brewer (2006), Model sensitivity evaluation for organic carbon using two multi-pollutant air quality models that simulate regional haze in the southeastern United States, *Atmospheric Environment*, 40, 4960-4972.
- Nejedly, Z., J. L. Campbell, J. Brook, R. Vet, and R. Eldred (2003), Evaluation of elemental and black carbon measurements from the GAViM and IMPROVE networks, *Aerosol Science and Technology*, 37, 96-108.
- O'Neill, S. M., B. K. Lamb, J. Chen, C. Claiborn, D. Finn, S. Otterson, C. Figueroa, C. Bowman, M. Boyer, R. Wilson, J. Arnold, S. Aalbers, J. Stocum, C. Swab, M. Stoll, M. Dubois, and M. Anderson (2006), Modeling ozone and aerosol formation and transport in the pacific northwest with the community multi-scale air quality (CMAQ) modeling system, *Environmental Science & Technology*, 40, 1286-1299.
- Odman, M. T., A. G. Russell, and J. W. Boylan (2004), Estimates of PM_{2.5} levels in the southeastern United States for the year 2010: What else can be done?, *Fuel Processing Technology*, 85, 631-639.

- Park, K., J. C. Chow, J. G. Watson, D. L. Trimble, P. Doraiswamy, K. Park, W. P. Arnott, K. R. Stroud, K. Bowers, R. Bode, A. Petzold, and A. D. A. Hansen (2006), Comparison of continuous and filter-based carbon measurements at the Fresno Supersite, *Journal of the Air & Waste Management Association*, 56, 474-491.
- Park, R. J., D. J. Jacob, M. Chin, and R. V. Martin (2003), Sources of carbonaceous aerosols over the United States and implications for natural visibility, *Journal of Geophysical Research-Atmospheres*, 108.
- Park, R. J., D. J. Jacob, B. D. Field, R. M. Yantosca, and M. Chin (2004), Natural and transboundary pollution influences on sulfate-nitrate-ammonium aerosols in the United States: Implications for policy, *Journal of Geophysical Research-Atmospheres*, 109.
- Park, S. S., M. S. Bae, J. J. Schauer, S. Y. Ryu, Y. J. Kim, S. Y. Cho, and S. J. Kim (2005), Evaluation of the TMO and TOT methods for OC and EC measurements and their characteristics in PM_{2.5} at an urban site of Korea during ACE-Asia, *Atmospheric Environment*, 39, 5101-5112.
- Patterson, P., H. Iyer, J. Sisler, and W. C. Malm (2000), An analysis of the yearly changes in sulfur concentrations at various national parks in the United States, 1980-1996, *Journal of the Air & Waste Management Association*, 50, 790-801.
- Pitchford, M. and M. Green (1997), Analyses of sulfur aerosol size distributions for a forty-day period in summer 1992 at Meadview, Arizona, *Journal of the Air & Waste Management Association*, 47, 136-146.
- Pitchford, M. L., B. A. Schichtel, K. A. Gebhart, M. G. Barna, W. C. Malm, I. H. Tombach, and E. M. Knipping (2005), Reconciliation and interpretation of the Big Bend National Park light extinction source apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational study - Part II, *Journal of the Air & Waste Management Association*, 55, 1726-1732.
- Rosenfeld, D. and A. Givati (2006), Evidence of orographic precipitation suppression by air pollution-induced aerosols in the western United States, *Journal of Applied Meteorology and Climatology*, 45, 893-911.
- Ryan, P. A., D. Lowenthal, and N. Kumar (2005), Improved light extinction reconstruction in interagency monitoring of protected visual environments, *Journal of the Air & Waste Management Association*, 55, 1751-1759.
- Ryan, P. A. (2005), Precipitation in light extinction reconstruction, *Journal of the Air & Waste Management Association*, 55, 1014-1018.
- Schichtel, B. A., W. C. Malm, and M. L. Pitchford (2006), Critique of "Precipitation in light extinction reconstruction" by P.A. Ryan, *Journal of the Air & Waste Management Association*, 56, 539-546.

- Sciare, J., H. Cachier, K. Oikonomou, P. Ausset, R. Sarda-Esteve, and N. Mihalopoulos (2003), Characterization of carbonaceous aerosols during the MINOS campaign in Crete, July-August 2001: a multi-analytical approach, *Atmospheric Chemistry and Physics*, 3, 1743-1757.
- Sisler, J. F. and W. C. Malm (1990), Assessing the Visibility Impairment Associated with Various Sulfate Reduction Scenarios at Shenandoah-National-Park, *Abstracts of Papers of the American Chemical Society*, 200, 108-ENVR.
- Sisler, J. F. and W. C. Malm (1997), Characteristics of winter and summer aerosol mass and light extinction on the Colorado Plateau, *Journal of the Air & Waste Management Association*, 47, 317-330.
- Sisler, J. F. and W. C. Malm (2000), Interpretation of trends of PM_{2.5} and reconstructed visibility from the IMPROVE network, *Journal of the Air & Waste Management Association*, 50, 775-789.
- Snow, J. A., J. B. Dennison, D. A. Jaffe, H. U. Price, J. K. Vaughan, and B. Lamb (2003), Aircraft and surface observations of air quality in Puget Sound and a comparison to a regional model, *Atmospheric Environment*, 37, 4019-4032.
- Todd, D. L., W. C. Keene, J. L. Moody, H. Maring, and J. N. Galloway (2003), Effects of wet deposition on optical properties of the atmosphere over Bermuda and Barbados, *Journal of Geophysical Research-Atmospheres*, 108.
- Veranth, J. M., T. A. Moss, J. C. Chow, R. Labban, W. K. Nichols, J. C. Walton, J. G. Watson, and G. S. Yost (2006), Correlation of in vitro cytokine responses with the chemical composition of soil-derived particulate matter, *Environmental Health Perspectives*, 114, 341-349.
- Vukovich, F. M. and J. Sherwell (2002), Comparison of fine particles and the relationship between particle variation and meteorology at an urban site and a remote site in the eastern United States, *Journal of the Air & Waste Management Association*, 52, 573-584.
- Walsh, K. and J. Sherwell (2002), Estimation of ambient PM_{2.5} concentrations in Maryland and verification by measured values, *Journal of the Air & Waste Management Association*, 52, 1161-1175.
- Walsh, K. J. and A. B. Gilliland (2001), Regional variations in sulfate and nitrate on annual, seasonal, and synoptic time scales, *Journal of the Air & Waste Management Association*, 51, 1339-1345.
- Wang, J., S. A. Christopher, U. S. Nair, J. S. Reid, E. M. Prins, J. Szykman, and J. L. Hand (2006), Mesoscale modeling of Central American smoke transport to the United States: 1. "Top-down" assessment of emission strength and diurnal variation impacts, *Journal of Geophysical Research-Atmospheres*, 111.

- Watson, J. G., J. C. Chow, D. H. Lowenthal, C. F. Cahill, D. L. Blumenthal, L. W. Richards, and H. G. Jorge (2001), Aerosol chemical and optical properties during the Mt. Zirkel Visibility Study, *Journal of Environmental Quality*, *30*, 1118-1125.
- Watson, J. G. and J. C. Chow (2002), Comparison and evaluation of in situ and filter carbon measurements at the Fresno Supersite, *Journal of Geophysical Research-Atmospheres*, *107*.
- Watson, J. G., J. C. Chow, D. H. Lowenthal, N. F. Robinson, C. F. Cahill, and D. L. Blumenthal (2002), Simulating changes in source profiles from coal-fired power stations: Use in chemical mass balance of PM_{2.5} in the Mount Zirkel Wilderness, *Energy & Fuels*, *16*, 311-324.
- White, W. H. (1997), Deteriorating air or improving measurements? On interpreting concatenate time series, *Journal of Geophysical Research-Atmospheres*, *102*, 6813-6821.
- White, W. H., L. L. Ashbaugh, N. P. Hyslop, and C. E. Mcdade (2005), Estimating measurement uncertainty in an ambient sulfate trend, *Atmospheric Environment*, *39*, 6857-6867.
- Xu, J., D. DuBois, M. Pitchford, M. Green, and V. Etyemezian (2006), Attribution of sulfate aerosols in Federal Class I areas of the western United States based on trajectory regression analysis, *Atmospheric Environment*, *40*, 3433-3447.
- Yu, S. C., R. L. Dennis, P. V. Bhave, and B. K. Eder (2004), Primary and secondary organic aerosols over the United States: estimates on the basis of observed organic carbon (OC) and elemental carbon (EC), and air quality modeled primary OC/EC ratios, *Atmospheric Environment*, *38*, 5257-5268.
- Yu, X. Y., L. Taehyoung, B. Ayres, S. M. Kreidenweis, J. L. Collett, and W. Maim (2005), Particulate nitrate measurement using nylon filters, *Journal of the Air & Waste Management Association*, *55*, 1100-1110.
- Yu, X. Y., T. Lee, B. Ayres, S. M. Kreidenweis, W. Malm, and J. L. Collett (2006), Loss of fine particle ammonium from denuded nylon filters, *Atmospheric Environment*, *40*, 4797-4807.
- Zeller, K., D. Harrington, A. Riebau, and E. Donev (2000), Annual wet and dry deposition of sulfur and nitrogen in the snowy range, Wyoming, *Atmospheric Environment*, *34*, 1703-1711.
- Zhang, R. J., Y. F. Xu, and Z. W. Han (2003), Inorganic chemical composition and source signature of PM_{2.5} in Beijing during ACE-Asia period, *Chinese Science Bulletin*, *48*, 1002-1005.
- Zhang, Y., P. Liu, B. Pun, and C. Seigneur (2006), A comprehensive performance evaluation of MM5-CMAQ for the Summer 1999 Southern Oxidants Study episode - Part I: Evaluation protocols, databases, and meteorological predictions, *Atmospheric Environment*, *40*, 4825-4838.

- Zhang, Y., P. Liu, A. Queen, C. Misenis, B. Pun, C. Seigneur, and S. Y. Wu (2006), A comprehensive performance evaluation of MM5-CMAQ for the Summer 1999 Southern Oxidants Study episode- Part II: Gas and aerosol predictions, *Atmospheric Environment*, 40, 4839-4855.
- Zhao, W. X. and P. K. Hopke (2004), Source apportionment for ambient particles in the San Gorgonio wilderness, *Atmospheric Environment*, 38, 5901-5910.
- Zhao, W. X. and P. K. Hopke (2006), Source investigation for ambient PM_{2.5} in Indianapolis, IN, *Aerosol Science and Technology*, 40, 898-909.