

## References

- Air Resource Specialists, Inc., Standard Operating Procedure and Technical Instructions for Nephelometer Systems, 4200-2000, 4100-3100, Fort Collins, CO, 1995.
- Anfossi, D., D. Sacchetti, and S. Trini Castelli, Development and sensitivity analysis of a Lagrangian particle model for long range dispersion, *Environmental Software*, 10, 263-287, 1995.
- Ansari, A.S. and S.N. Pandis, An analysis of four models predicting the partitioning of semivolatile inorganic aerosol components, *Aerosol Sci. Tech.*, 31, 129-153, 1999.
- Ashbaugh, L.L., A statistical trajectory technique for determining air pollution source regions, *J. of the Air Pollution Control Association*, 33, 1096-1098, 1983.
- Ashbaugh, L.L., W.C. Malm, and W.Z. Sadeh, A residence time probability analysis of sulfur concentrations at Grand Canyon National Park, *Atmos. Environ.*, 19, (8), 1263-1270, 1985.
- Barna, M. and B. Lamb, Improving ozone modeling in regions of complex terrain using observational nudging in a prognostic meteorological model, *Atmos. Env.*, 34, 4889-4906, 2000.
- Belsley, D.A., E. Kuh, and R.E. Welsch, *Regression Diagnostics – Identifying Influential Data and Sources of Collinearity*, John Wiley & Sons, New York, 92-93, 1980.
- Big Bend Natural History Assoc., 1990.
- Black, T.L., The new NMC mesoscale Eta model: Description and forecast examples. *Wea. Forecasting*, 9, 265–278, 1994.
- Brandt, J., A. Bastrup-Birk, J.H. Christensen, T. Mikkelsen, S. Thykier-Nielsen, and Z. Zlatev, Testing the importance of accurate meteorological input fields and parameterizations in atmospheric transport modelling using DREAM - Validation against ETEX-1, *Atmos. Environ.* 32, (24), 4167-4186, 1998.
- Brown S.G., P. Herckes, L. Ashbaugh, M.P. Hannigan, S.M. Kreidenweis, and J.L. Collett, Characterization of organic aerosol in Big Bend National Park, Texas *Atmos. Environ* 36, (38), 5807-5818, 2002.
- Carrico, C.M., M.J. Rood, and J.A. Ogren, Aerosol light scattering properties at Cape Grim, Tasmania, during the first Aerosol Characterization Experiment (ACE 1), *J. Geophys. Res.*, 103, (D13), 16,565-16,574, 1998.
- Carrico, C.M., M.J. Rood, J.A. Ogren, C. Neusüß, A. Wiedensohler, and J. Heintzenberg, Aerosol optical properties at Sagres, Portugal, during ACE 2, *Tellus*, 52B, 694-716, 2000.
- Cattell, R. B., The scree test for the number of factors. *Multivariate Behavioral Research*, 1, (2), 140-161, 1966.
- Chin, M., R.B. Rood, S.J. Lin, J.F. Muller, and A.M. Thompson, Atmospheric sulfur cycle simulated in the global model GOCART: Model description and global properties, *J. Geophys. Res.*, 105, (D20), 24671-24687, 2000.
- Chow, J.C., J.G. Watson., L.C. Pritchett., W.R. Pierson, C.A. Frazier, and R.G. Purcell, *Atmos. Environ.*, 27A, 1185-1201, 1993.
- Chow, J.C., J.G. Watson, H. Kuhns, V. Etyemezian, D.H. Lowenthal, D.H. Crow, S.D. Kohl, J.P. Engelbrecht, and M.C. Green, Source profiles for industrial, mobile, and area sources in

- the Big Bend Regional Visibility and Observational (BRAVO) study, *Chemosphere*, 54, (2), 185-208, 2004.
- Clegg, S.L., K.S. Pitzer, and P. Brimblecombe, Thermodynamics of multicomponent, miscible, ionic solutions. II. Mixtures including unsymmetrical electrolytes, *J. Phys. Chem.*, 96, 9470-9479, 1992.
- Clegg, S.L., P. Brimblecombe, and A.S. Wexler, A thermodynamic model of the system H<sup>+</sup>-NH<sub>4</sub><sup>+</sup>-SO<sub>4</sub><sup>2-</sup>-NO<sub>3</sub><sup>-</sup>-H<sub>2</sub>O at tropospheric temperatures, *J. Phys. Chem.*, 102A, 2137-2154, 1998a.
- Clegg, S.L., P. Brimblecombe, and A.S. Wexler, A thermodynamic model of the system H<sup>+</sup>-NH<sub>4</sub><sup>+</sup>-Na<sup>+</sup>-SO<sub>4</sub><sup>2-</sup>-NO<sub>3</sub><sup>-</sup>-Cl<sup>-</sup>-H<sub>2</sub>O at 298.15 K., *J. Phys. Chem.*, 102A, 2155-2171, 1998b.
- Cocker, D.R., N.E. Whitlock, R.C. Flagan, and J.H. Seinfeld, Hygroscopic properties of Pasadena, California, aerosol, *Aerosol Science And Technology*, 35, (2), 637-647, 2001.
- Collett, J.L., T. Lee, D.E. Sherman, J.E. Reilly, S.G. Brown, and S.M. Kreidenweis, The composition of aerosol sampled at Big Bend National Park during the 1999 Big Bend Regional Aerosol and Visibility Observational Study (BRAVO), *Proceedings of the A&WMA/AGU International Specialty Conference – Regional Haze and Global Radiation Balance, Aerosol Measurements and Models: Closure, Reconciliation and Evaluation*, Oct. 2-5, Bend, OR, 2001.
- Covert, D.S., A.P. Waggoner, R.E. Weiss, N.C. Ahlquist, and R.J. Charlson, Atmospheric aerosols, humidity and visibility, in *Character and Origins of Smog Aerosols*, Wiley, NY, 559-581, 1979.
- Day, D.E., W.C. Malm, and S.M. Kreidenweis, Aerosol light scattering measurements as a function of relative humidity, *J. Air & Waste Manage. Assoc.*, 50, 710-716, 2000.
- Derber J.C., D.F. Parrish, and S.J. Lord, The new global operational analysis system at the National Meteorological Center, *Wea. Forecasting*, 6, 538-547, 1991.
- Desiato, F., D. Anfossi, S. Trini Castelli, E. Ferrero, and G. Tinarelli, The role of wind field, mixing height and horizontal diffusivity investigated through two Lagrangian particle models, *Atmos. Environ.*, 32, 4157-4165, 1998.
- Dietrich, L. J.V. Molenaar, and J.F. Faust, in *Visibility and Fine Particles*; C.V., Mathai, Ed., AWMA: Pittsburgh, PA, 374-383, 1989.
- Draxler, R.R. and G.D. Hess, An overview of the HYSPLIT\_4 modeling system for trajectories, dispersion, and deposition, *Australian Meteorological Magazine*, 47, 295-308, 1998.
- Dudhia, J., Numerical study of convection observed during the winter monsoon experiment using a mesoscale two-dimensional model, *J. Atmos. Sci.*, 46, 3077-3107, 1989.
- Eldred, R.A., T.A. Cahill, M. Pitchford, and W.C. Malm, IMPROVE- A new remote area particulate monitoring system for visibility studies, in *Proceedings of the APCA Annual Meeting*, 81, 1-16, 1988.
- Electric Power Research Institute, *Modeling Analysis of the Big Bend Regional Aerosol Visibility Observational (BRAVO) Study*, EPRI:1009283, Palo Alto, CA, 2004.
- Enting, I.G., Green's function methods of tracer inversion, in *Inverse Methods in Global Biogeochemical Cycles*, American Geophysical Union, Washington, DC, 19-31, 2000.

- Enting, I.G., *Inverse Problems in Atmospheric Constituent Transport*. Cambridge University Press, Cambridge, 2002.
- Gebhart, K.A. and W.C. Malm, Source apportionment of particulate sulfate concentrations at three national parks in the eastern United States, in *Transactions of the A&WMA/EPA Specialty Conference – Visibility and Fine Particles*, Estes Park, CO, Oct. 15-19, C.V. Mathai, Ed., 898-913, 1989.
- Gebhart, K.A. and W.C. Malm, Source attribution and statistical summary of data measured at Grand Canyon National Park during 1989-1991, in *Proceedings of "Aerosols and Atmospheric Optics"*, Snowbird, UT, 1098-1124, 1994.
- Gebhart, K.A. and W.C. Malm, Spatial and temporal patterns in particle data measured during the MOHAVE study, *J. Air & Waste Management Association*, 47, 119-135, 1997.
- Gebhart, K.A., R.A. Alhbrandt, W. C. Malm, and H. K. Iyer, Estimating the fractional contribution of secondary aerosols from different source areas on a regional scale, *Preprints of the 81st Annual APCA Meeting, Dallas, TX, June 1988*, Paper No. 88-054.06, available from A&WMA, Pittsburgh, 1988.
- Gebhart, K.A., W.C. Malm, and H.K. Iyer, Comparison of two back trajectory techniques for source apportionment, *Preprints of the 86th Annual A&WMA Meeting, Denver, CO*, 1993.
- Gebhart, K.A., W.C. Malm, and M. Flores, A preliminary look at source-receptor relationships in the Texas-Mexico border area, *J. Air & Waste Management Association*, 50, 858-868, 2000.
- Gebhart, K.A., S. Kreidenweis, and W.C. Malm, Back-trajectory analyses of fine particulate matter measured at Big Bend National Park in the historical database and the 1996 scoping study, *Science of the Total Environment*, 276, 185-204, 2001.
- Geron, C., A. Guenther, and T. Pierce, An improved model for estimating emissions of volatile organic compounds from forests in the eastern United States, *Atmos. Environ.*, 99, 12773-12791, 1994.
- Gifford, F.A. Horizontal diffusion in the atmosphere: a Lagrangian-dynamical theory, *Atmos. Environ.*, 16, 505-512, 1982.
- Grasso, L., The differentiation between grid spacing resolution and their application to numerical modeling, *American Meteorological Society*, 81, 579-580, 2000.
- Green, P.E. *Mathematical Tools for Applied Multivariate Analysis*, Academic Press, New York, NY, 1976.
- Green, M. H. Kuhns, V. Etyemezia, and M. Pitchford, *Big Bend Regional Aerosol and Visibility Observation (BRAVO) Study Plan*, Desert Research Institute, Las Vegas, NV, 1999.
- Green, M., H. Kuhns, V. Etyemesian, and M.L. Pitchford, Final Program Plan for the Big Bend Regional Aerosol and Visibility Observational Study (BRAVO), <http://vista.cira.colostate.edu/improve/Studies/BRAVO/reports/projectplan/BRAVOStudyPlan.htm>, May 23, 2000.
- Green, M., H. Kuhns, M. Pitchford, R. Dietz, L. Ashbaugh, and T. Watson, Application of the tracer-aerosol gradient interpretive technique to sulfur attribution for the Big Bend Regional Aerosol and Visibility Observational Study, *J Air Waste Manage.*, 53, (5), 586-595, 2003.

- Grell, G.A., J. Dudhia, and D.R. Stauffer, *A description of the fifth generation Penn State/NCAR Mesoscale Model (MM5)*. NCAR Technical Note (TN-398-STR), NCAR, Boulder, CO, 1994.
- Hand, J.L., S.M. Kreidenweis, D. Eli Sherman, J.L. Collett, Jr., S.V. Hering, D.E. Day, and W.C. Malm, Aerosol size distributions and visibility estimates during the Big Bend Regional Aerosol Visibility and Observational Study (BRAVO), *Atmos. Environ.*, *36*, 5043-5055, 2002.
- Hansen, A.D.A., H. Rosen, and T. Novakov, Real-time measurements of the absorption coefficient of aerosol particles, *Applied Optics*, *21*, 3060, 1982.
- Hansen, A.D.A., H. Rosen, and T. Novakov, The aethalometer - an instrument for the real-time measurement of optical-absorption by aerosol-particles. *Science of the Total Environment* *36*, (JUN), 191-196, 1984.
- Heffter, J.L., Air Resources Laboratory Atmospheric Transport and Diffusion Model (ARL-ATAD), *National Oceanic and Atmospheric Administration*, Technical Memo, ERL-ARL-81, 1980.
- Henry, R.C., Y.J. Wang, and K.A. Gebhart, The relationship between empirical orthogonal functions and sources of air pollution, *Atmos. Env.*, *25A*, 503-509, 1991.
- Holtslag, A.A.M., VanMeijgaard, E., and DeRooy, W.C., A comparison of boundary layer diffusion schemes in unstable conditions over land, *Bound-Lay. Meteorol.*, *76*, (1-2), 69-95, 1995.
- Husar J. and Husar, R., Sulfur in atmosphere, proceedings of International-Symposium held in Dubrouik, Yugoslavia, 7-14 September 1977 – Forward, *Atmos. Environ.*, *12*, (1-3), 3-5, 1978.
- Husar, R.B., J.P. Lodge Jr., and D.J. Moore, Sulfur in the atmosphere, in *Proceedings of the International symposium held in Dubrovnik Yugoslavia, 7-14 September 1977*, Pergamon Press, Oxford, 1978.
- Ishikawa, H., Evaluation of the effect of horizontal diffusion on the long-range atmospheric transport simulation with Chernobyl data, *Journal of Applied Meteorology*, *34*, 1653-1665, 1995.
- Iyer, H.K., W.C. Malm, and R.A. Ahlbrandt, A mass balance method for estimating the fractional contribution from various sources to a receptor site, *Transactions: Visibility Protection: Research and Policy Aspects*, Sep. 1986, Grand Teton National Park, WY, P.S. Bhardwaja, Ed., Air Pollution Control Association (now A&WMA), Pittsburgh, 861-869, 1987
- Jackson, D.D., Interpretation of inaccurate, insufficient and inconsistent data, *Geophys. J. R. Astr. Soc.*, *28*, 97-109, 1972.
- Kain, J.S. and J.M Fritsch, A one-dimensional entraining/detraining plume model and its application in convective parameterization, *J. Atmos. Sci.*, *47*, 2784-2802, 1990.
- Kaiser, H.F, The Varimax criterion for analytic rotation in factor analysis, *Psychometrika*, *23*, 187-199, 1958.
- Kahl, J.D. and P.J. Samson, Uncertainty in trajectory calculations due to low resolution meteorological data, *J. Clim. Appl. Meteorol.*, *25*, 1816-1831, 1986.

- Kanamitsu, M., Description of the NMC Global Data Assimilation and Forecast System, *Wea. Forecasting*, 4, 335-342, 1989.
- Kim, Y.P. J.H. Seinfeld, and P. Saxena, Atmospheric Gas-Aerosol Equilibrium I. Thermodynamic Model, *Aerosol Sci. and Tech.*, 19, 157-181, 1993.
- Kreyszig, E., *Advanced Engineering Mathematics*, 2<sup>nd</sup> Ed., J. Wiley & Sons, NY, 1968.
- Kuhns, H., M. Green, V. Etyemezian, J. Watson, and M. Pitchford, Big Bend Regional Aerosol and Visibility Observational (BRAVO) Study emissions inventory, in *Proceedings of AWMA.: Regional Haze and Global Radiation Balance-Aerosol Measurements and Models*, October 2-5, Bend, Oregon, 2001.
- Lamb, R.G. and M. Neiburger, An interim version of a generalized urban air pollution model, *Atmos. Environ.*, 5, 239-264, 1971.
- Lawson, C.L. and R.J. Hanson, *Solving Least Squares Problems*, Princeton-Hall, Englewood Cliffs, NJ, 1974.
- Lee, T. and J.L. Collett Jr., *The Ionic Composition of Aerosol in Big Bend National Park*. Report by Cooperative Institute for Research in the Atmosphere, Colorado State University, Fort Collins, CO, July, ISSN No. 0737-5352-59, 2002.
- Lee, T., S.M. Kreidenweis, and J.L. Collett, Jr., Aerosol Ion Characteristics During the Big Bend Regional Aerosol and Visibility Observational Study, *J. Air & Waste Management Assoc.*, 54, 585-592., 2004.
- Malm, W.C. Characteristics and origins of haze in the continental United States, *Earth Science Reviews*, 33, 1-36, 1992.
- Malm, W.C. and D.E. Day, Optical properties of aerosols at Grand Canyon National Park, *Atmos. Environ.*, 34, 3373-3391, 2000.
- Malm, W.C. and D.E. Day, Estimates of aerosol species scattering characteristics as a function of relative humidity, *Atmos. Environ.*, 35, 2845-2860, 2001.
- Malm, W.C. and K.A. Gebhart, Source apportionment of organic & light absorbing carbon using receptor modeling techniques, *Atmos. Environ.*, 30, 843-855, 1996.
- Malm, W.C. and K.A. Gebhart, Source apportionment of sulfur and light extinction using receptor modeling techniques, *J. Air & Waste Management Association*, 47, 250-268, 1997.
- Malm, W.C. and S.M. Kreidenweis, The effects of models of aerosol hygroscopicity on the apportionment of extinction, *Atmos. Environ.*, 31, 1965-1976, 1997.
- Malm, W.C., H.K. Iyer, J. Watson, and D.A. Latimer, Survey of a variety of receptor modeling techniques, in *Transactions of the A&WMA/EPA Specialty Conference-Visibility & Fine Particles*, C.V. Mathai, Ed, Estes Park, CO, Oct. 15-19, 781-805, 1989.
- Malm, W.C., K.A. Gebhart, and R.C. Henry, An investigation of the dominant source regions of fine sulfur in the western us and their areas of influence, *Atmos. Env.*, 24A, 3047-3060, 1990.
- Malm, W.C., J.F. Sisler, D. Huffman, R.A. Eldred, and T.A. Cahill, Spatial and seasonal trends in particle concentration and optical extinction in the United States, *J. Geophys. Res.*, 99, 1347-1370, 1994.
- Malm, W.C., D.E. Day, and S.M. Kreidenweis, Light scattering characteristics of aerosols as a function of relative humidity: Part I - A comparison of measured scattering and aerosol

- concentrations using the theoretical models, *J. Air & Waste Manage.*, 50, 686-700, 2000a.
- Malm, W.C., M.L. Pitchford, M. Scruggs, J.F. Sisler, R. Ames, S. Copeland, K.A. Gebhart, and D.E. Day, *Spatial and Seasonal Patterns and Temporal Variability of Haze and its Constituents in the United States: Report III*, Cooperative Institute for Research in the Atmosphere, ISSN:0737-5352-47, 2000b.
- Malm, W.C., R.B. Ames, L.L. Ashbaugh, R.A. Eldred, and M.L. Pitchford, A ten-year spatial and temporal trend of sulfate across the United States, *Proceedings of Air & Waste Management Conference: Regional Haze and Global Radiation Balance-Aerosol Measurements and Models: Closure, Reconciliation, and Evaluation*, Oct. 2-5, Bend, OR, 2001a.
- Malm, W.C., D.E. Day, T. Lee, S.M. Kreidenweis, and J.L. Collett, Physical, chemical, and optical properties of fine and coarse particles in West Texas (Big Bend National Park), *Proceedings of the A&WMA/AGU International Specialty Conference – Regional Haze and Global Radiation Balance, Aerosol Measurements and Models: Closure, Reconciliation and Evaluation*, Oct. 2-5, Bend, OR, 2001b.
- Malm, W.C., B.A. Schichtel, R.B. Ames, and K.A. Gebhart, A ten-year spatial and temporal trend of sulfate across the United States, *JGR-Atmospheres*, 107, (22), 2002.
- Malm, W.C., D.E. Day, S.M. Kreidenweis, J.L. Collett, and T. Lee, Humidity dependent optical properties of fine particles during the Big Bend Regional Aerosol and Visibility Observational Study (BRAVO), *JGR-Atmospheres*, 108, (D9), art. 4279, 2003.
- MCNC Environmental Modeling Center, Sparse Matrix Operator Kernel Emissions modeling system, <http://www.emc.mcnc.org/products/smoke>, 2002.
- Molenaar, J.V., Analysis of the real world performance of the Optec NGN-2 ambient nephelometers, in *Visual Air Quality: Aerosols and Global Radiation Balance*, Air & Waste Manage. Assoc., Pittsburgh, 243-265, 1997.
- Molenaar, J.V., D.L. Dietrich, and R.M. Tree, Application of a long range transmissometer to measure the ambient atmospheric extinction coefficient in remote pristine environments, in *Visibility and Fine Particles*, C.V., Mathai, Ed., AWMA, Pittsburgh, 374-383, 1989.
- Munn, R.E., and B. Bolin, *Atmos. Environ.*, 5, 363-402, 1971.
- Nenes, A., S.N. Pandis, and C. Pilinis, ISORROPIA: A new thermodynamic equilibrium model for multiphase multicomponent inorganic aerosols, *Aquatic Geochemistry*, 4, 123-152, 1998.
- Newsam, G.N and I.G. Enting, Inverse problems in atmospheric constituent studies: I. Determination of surface sources under a diffusive transport approximation. *Inverse Problems*, 4, 1037-1054, 1988.
- Olmez, I., A.E Sheffield, G.E. Gordon, J.E. Houck, L.C. Pritchett, J.A. Cooper, T.G. Dzubay, and R.I. Bennett, Composition of particles from selected sources in Philadelphia for receptor modeling applications. *Journal of Air Pollution Control Association*, 38, 1392-1402, 1988.
- Ouimette, J.R., and R.C. Flagan, The extinction coefficient of multicomponent aerosols, *Atmos. Environ.*, 16, 2405-2419, 1982.

- Parrish, D.F. and J.C. Derber, The National Meteorological Center's spectral statistical interpolation analysis system, *Mon. Wea. Rev.*, *120*, 1747-1766, 1992.
- Parrish, D., J. Purser, E. Rogers, and Y. Lin, The regional 3D variational analysis for the Eta Model., *11th Conf. On Numerical Weather Prediction*, Norfolk, VA, Amer. Meteor. Soc., 454-455, 1996.
- Patterson, D.E., R.B. Husar, W.E. Wilson, and L.F. Smith, *J. Appl. Meteor.*, *20*, 404-420, 1981.
- Perrino, C., F.D. Santis, and A. Febo, Criteria for the choice of a denuder sampling technique devoted to the measurement of atmospheric nitrous and nitric acids, *Atmos. Environ.*, *24A*, 617-626, 1990.
- Perry, K.D., T.A. Cahill, R.A. Eldred, and D.D. Dutcher, Long-range transport of North African dust to the eastern United States, *J. of Geophysical Research*, *102*, 11225-11238, 1997.
- Petersen, R.A. and J.D. Stackpole, Overview of the NMC production suite, *Wea. Forecasting*, *4*, 313-322, 1989.
- Petterssen, S., *Weather Analysis and Forecasting*, McGraw-Hill Book Company, New York, 221-223, 1940.
- Pielke, R.A., *Mesoscale Meteorological Modeling*, Academic Press, 612 pp., 1984.
- Pitchford, M. and A. Pitchford, Analysis of regional visibility in the Southwest using principal component and back trajectory techniques, *Atmospheric Environment*, *19*, 1301-1316, 1985.
- Pitzer K.S. and J.M. Simonson, Thermodynamics of multicomponent, miscible, ionic systems: Theory and equations, *J. Phys. Chem.*, *90*, 3005-3009, 1986.
- Poirot, R.L. Personal communication, March 2004.
- Poirot, R.L. and P.R. Wishinski, Visibility, sulfate and air mass history associated with the summertime aerosol in northern Vermont, *Atmospheric Environment*, *20*, 1457-1469, 1986.
- Poirot, R., P. Wishinski, B. Schichtel, P. Girton, Air trajectory pollution climatology for the Lake Champlain basin, *AGU Water Monograph on Lake Champlain Research and Implementation*, T. and P. Manley, Eds., American Geophysical Union, Washington, DC, 1999.
- Poirot, R.L., P.R. Wishinski, P.K. Hopke, and A.V. Polissar, Comparative application of multiple receptor methods to identify aerosol sources in northern Vermont, *Environ Sci Tech.*, *35*, (23), 4622-4636, 2001.
- Potukuchi, S. and A.S. Wexler, Identifying solid-aqueous phase transitions in atmospheric aerosol I. Neutral-acidity solutions, *Atmos. Environ.*, *29*, 1663-1676, 1995a.
- Potukuchi, S. and A.S. Wexler, Identifying solid-aqueous phase transitions in atmospheric aerosol II. Acidic solutions, *Atmos. Environ.*, *29*, 3357-3364, 1995b.
- Press, W.H., S.A. Teukolsky, W.T. Vetterling, and B.R. Flannery, *Numerical Recipes in C: the Art of Scientific Computing*, Cambridge University Press, Cambridge, 1988.
- READY (Real-time Environmental Applications and Display System), Web address: <http://www.arl.noaa.gov/ready/hysplit4.html>, NOAA Air Resources Laboratory, Silver Spring, MD, 2003.
- Richman, M.B., Rotation of principal components, *Journal of Climatology*, *6*, 293-335, 1986.

- Rolph, G.D. and R.R. Draxler, Sensitivity of three-dimensional trajectories to the spatial and temporal densities of the wind field, *J. of Appl. Met.*, 29, 1043-1054, 1990.
- Rood, M.J., M.A. Shaw, T.V. Larson, and D.S. Covert, Ubiquitous nature of ambient metastable aerosol, *Nature*, 337, (6207), 537-539, 1989.
- Rotronic Instrument Corp. Humidity-Temperature Meteorological Pro, MP-100F, Fact Sheet, Rotronic Instrument Corp.: Huntington, NY, 1998.
- SAI, *User's Guide to the Regional Modeling System for Aerosols and Deposition (REMSAD), Version 6*, Systems Applications International, Inc., San Francisco, CA, 2001.
- Saltbones J., A. Foss, and J. Bartnicki, Norwegian meteorological institute's real-time dispersion model SNAP (Severe Nuclear Accident Program): runs for ETXE and ATMES II experiments with different meteorological input, *Atmos. Environ.*, 32, 4277-4283, 1998.
- Saxena P. and L.M. Hildemann, Water-soluble organics in atmospheric particles: A critical review of the literature and application of thermodynamics to identify candidate compounds, *J. Atmos. Chem.*, 24, 57-109, 1996.
- Schichtel B.A, Retrieval of Emission Fields, *Doctoral Dissertation presented at Washington University*, St. Louis, MO., 1996.
- Schichtel B.A. and R.B. Husar, Regional simulation of atmospheric pollutants with the CAPITA Monte Carlo model, *Journal of the Air and Waste Management Association*, 47, 331-343, 1997.
- Schwartz, B.E. and M. Govett, A hydrostatically consistent North American radiosonde data base at the Forecast Systems Laboratory, 1946-present, *NOAA Technical Memorandum ERL FSL-4*, NOAA/ERL/FSL 325 Broadway, Boulder, CO 80303, 1992.
- Seaman, N.L. and D.R. Stauffer, Final Report to Electric Power Research Institute Contract EP-P3883/C1886 for MM5 Modeling in support of the Big Bend Regional Aerosol and visibility Observation Study (BRAVO), The Pennsylvania State University, Department of Meteorology, 503 Walker Building, University Park, PA 16802, Delivered to Naresh Kumar, Environment Division, Electric Power Research Institute, 3412 Hillview Avenue, Palo Alto, CA 94304-1395, 1 Aug 2003.
- Seigneur, C., G. Hidy, I. Tombach, J. Vimont, and P. Amar, *Scientific Peer-Review of the Regulatory Modeling System for Aerosols and Deposition (REMSAD)*. The KEVRIC Company, Inc, USEPA Contract No. 68-D-98-092, 1999.
- Seinfeld, J. and S. Pandis, *Atmospheric Chemistry and Physics*, Wiley Interscience, New York, 1998.
- Sela, J.G., Spectral modeling at the National Meteorological Center, *Mon. Wea. Rev.*, 108, 1279-1292, 1980.
- Shafran, P.C., N.L. Seaman, and G.A. Gayno, Evaluation of numerical predictions of boundary-layer structure during the Lake Michigan Ozone Study (LMOS), *J. Appl. Meteor.*, 39, 412-426, 2000.
- Sisler, J.F, D. Huffman, D.A. Latimer, W.C. Malm, and M.L. Pitchford, *Spatial and Temporal Patterns and the Chemical Composition of the Haze in the United States: An Analysis of Data from the IMPROVE Network, 1988-1991*, Cooperative Institute for Research in the Atmosphere (CIARA), Fort Collins, CO, ISSN No. 0737-5352-26, 1993.

- Sloane, C.S., Effect of composition on aerosol light scattering efficiencies, *Atmos. Environ.*, 20, (5), 1025-1037, 1986.
- Sorensen, J.H., Sensitivity of the DERMA long-range Gaussian dispersion model to meteorological input and diffusion parameters, *Atmos. Environ.*, 32, (24), 4195-4206, 1998.
- Stauffer, D.R. and N.L. Seaman, On multi-scale four-dimensional data assimilation, *J. Appl. Meteor.*, 33, 416-434, 1994.
- Stohl, A., Computation, accuracy and applications of trajectories – a review and bibliography, *Atmos. Environ.*, 32, 947-966, 1998.
- Stunder, B.J.B., NCEP Model Output -- FNL Archive Data, National Climatic Data Center (NCDC) report TD-6141, 1997.
- Trijonis, J.C., W.C. Malm, M. Pitchford, W.H. White, R. Charlson, and R. Husar, Visibility: Existing and historical conditions-causes and effects, *State of Sci. Technol., Rep. 24*, Natl. Acid Precip. Assess. Program, Washington DC, 1990.
- Turpin, B. J. and H. J. Lim, Species contributions to PM<sub>2.5</sub> mass concentrations: Revisiting common assumptions for estimating organic mass, *Aerosol Sci. Technol.*, 35, 602-610, 2001.
- Uliasz, M., Lagrangian particle dispersion modeling in mesoscale application, *Environmental Modeling*, P. Zannetti, ed, Computation Mechanics Publications, Southampton, U.K., 2, 71-101, 1994.
- U.S. Environmental Protection Agency, *National Air Quality and Emissions Trends Report*, 1999, EPA 454/R-01-004, 2001.
- U.S. Environmental Protection Agency, *Guidance for Tracking Progress under the Regional Haze Rule*, EPA-454/B-03-004, Research Triangle Park, NC, September 2003a.
- U.S. Environmental Protection Agency, National Emission Inventory, <http://www.epa.gov/ttn/chief/trends/>, 2003b.
- Vasconcelos, L.A., J.D. Kahl, D. Liu, E.S. Macias, and W.H. White, A tracer calibration of back trajectory analysis at the Grand Canyon, *J. Geo. Res.*, 101, 19329-19335, 1996.
- Virkkula A., R. Van Dingenen, F. Raes, and J. Hjorth, Hygroscopic properties of aerosol formed by oxidation of limonene, alpha-pinene, and beta-pinene, *J. Geophys. Res.*, 104, 3569-3579, 1999.
- Vogelezang, D.H.P. and A.A.M. Holtslag, Evaluation and model impacts of alternative boundary-layer height formulations, *Bound-Lay. Meteorol.*, 81, (3-4), 245-269, 1996.
- Waggoner, A.P., R.E. Weiss, and T.V. Larson, In situ, rapid response measurement of H<sub>2</sub>SO<sub>4</sub>/(NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub> aerosols in urban Houston - a comparison with rural Virginia, *Atmos. Environ.*, 17, 1723-1731, 1983.
- Watson, J.G., J.C. Chow, L.W. Richards, D.L. Dietrich, J. Molenaar, J. Faust, S.R. Andersen, and C.S. Sloane, *The 1987-88 Metro Denver Brown Cloud Study*, Desert Research Institute: Reno, NV, Document No. 8810 1F2, 1988.
- Watson, T.B., R. Johnson, M.L. Pitchford, M. Green, H. Kuhns, and V. Etyemezian, *The Perfluorocarbon Tracer Releases During the Big Bend Regional Aerosol and Visibility Observational (BRAVO) Study*, Desert Research Institute, 755 E. Flamingo Road, Las Vegas, NV 89119, 2000.

- Watson, J.G., J.C. Chow, and J.E. Houck, PM<sub>2.5</sub> chemical source profiles for vehicle exhaust, vegetative burning, geological material, and coal burning in northwestern Colorado during 1995, *Chemosphere*, 43, (8), 1141–1151, 2001.
- White, W. H. and P. T. Roberts, On the nature and origins of visibility-reducing aerosols in the Los Angeles air basin, *Atmos. Environ.*, 11, 803-812, 1977.
- White, H.W. and E.S. Macias, On measurement error and the empirical relationship of atmospheric extinction to aerosol composition in the non-urban west, in *Transactions: Visibility Protection: Research and Policy Aspects*, P.S. Bhardwaja, Ed., Sep. 1986, Grand Teton National Park, WY, Air Pollution Control Association (now A&WMA), Pittsburgh, 783-794, 1987.
- Zapotocny, T. H., S. J. Nieman, W. P. Menzel, J. P. Nelson III, J. A. Jung, E. Rogers, D. F. Parrish, G. J. DIMego, M. B. Timothy, and J. Schmit, A case study of the sensitivity of the Eta data assimilation system, *Wea. Forecasting*, 15, 603–621, 2000.
- Zapotocny, T. H., W. P. Menzel, J.P. Nelson III, and J.A. Jung, An impact study of five remotely sensed and five in situ data types in the Eta data assimilation system, *Wea. Forecasting*, 17, 263–285, 2002.
- Zhang, D.-L. and R.A. Anthes, A high-resolution model of the planetary boundary layer – sensitivity tests and comparisons with SESAME-79 data. *J. Appl. Meteor.*, 21, 1594-1609, 1982.