

8. References

- Ames R.B. and W.C. Malm (1997). Estimating the Contribution of the Mohave Coal-Fired Power Plant Emissions to Atmospheric Sulfur at Grand Canyon National Park. Proceedings: Visual Air Quality: Aerosols and Global Radiation Balance, Bartlett, New Hampshire, September 1997, pp.683-709, Air & Waste Management Association, Pittsburgh, PA.
- Big Bend Air Quality Work Group (1999) Big Bend National Park Regional Visibility Preliminary Study. Report of the study conducted from September 9 to October 13, 1996. Prepared for the U.S. Environmental Protection Agency, National Park Service, SEMARNAP, and PROFEPA, January 7, 1999.
- Big Bend Natural History Association (1989). Big Bend History Brochure. Big Bend Natural History Association, P.O. Box 196, Big Bend National Park, Texas, 79834.
- Big Bend Natural History Association (1990). Big Bend Biosphere Reserve Brochure. Big Bend Natural History Association, P.O. Box 196, Big Bend National Park, Texas, 79834.
- Dickson, R.J., Oliver, W.R., Balentine, H. W., (1997) Emission Estimates for Assessing Visual Air Quality on the Colorado Plateau, *J. of Air & Waste Mgmt. Asso.*, **47**, 185-193.
- Eatough D.J., R.J. Farber, and J.G. Watson (1999). Second Generation Chemical Mass Balance Source Apportionment of Sulfur Oxides and Sulfate at Grand Canyon During the Project MOHAVE Summer Intensive. Proceedings: Visual Air Quality: Aerosols and Global Radiation Balance, Bartlett, New Hampshire, September 1997, pp.1153-1160, Air & Waste Management Association, Pittsburgh, PA.
- Green, M.C., Gebhart, K.A., (1997) Clean Air Corridors: A Geographic and Meteorologic Characterization, *J. of Air & Waste Mgmt. Asso.*, **47**, 403-410.
- Green, M.C. and I. Tombach, (2000) Use of Project MOHAVE Perfluorocarbon tracer to Evaluate source and Receptor Models. *J. of Air & Waste Mgmt. Asso.* **50**, in press.
- Heffter, J.L. Air Resources Laboratories Atmospheric Transport and Dispersion Model (ARL-ATAD), Technical Memorandum ERL ARL-81; NOAA, Rockville, 1980.
- Henry R.C. (1997a) Receptor model applied to patterns in space (RMAPS) part I -model description. *J. of Air & Waste Mgmt. Asso.*, **47**, 216-219.

- Henry R.C. (1997b) Receptor model applied to patterns in space (RMAPS) part II - apportionment of airborne particulate sulfur from Project MOHAVE. *J. of Air & Waste Mgmt. Asso.*, **47**, 220-225.
- Henry, R.C. (1999) Perception of color in images of simulated haze. Report prepared by R. Henry 24017 Ingomar St., West Hills, CA 91304 for EPRI, January 4, 1999.
- Kahl, J.D.W.; Liu, D.; White, W.H.; Macias, E.S.; Vasconcelos, L. (1997) The relationship between atmospheric transport and the particle scattering coefficient at the Grand Canyon, *J. Air & Waste Manage. Assoc.*, **47**, 419-425.
- Kohonen, T. (1989). *Self-Organization and Associative Memory*, 3rd edition, Springer-Verlag, New York.
- Kuhns, H., Green, M., Pitchford, M., Vasconcelos, L., White, W., and Mirabella, V., (1999). Attribution of particulate sulfur in the Grand Canyon to a specific point source using tracer-aerosol gradient interpretive technique (TAGIT), *J. of Air & Waste Mgmt. Asso.*, **49**, 906-915.
- Latimer D.A., H.K. Iyer, and W.C. Malm, (1989) Application of a differential mass balance model to attribute sulfate haze in the Southwest. In *Transactions, Visibility and Fine Particles*, C.V. Mathai, Ed. A&WMA, Pittsburgh, pp. 819-830.
- Malm W.C., H.K. Iyer, and K. Gebhart (1989a). Application of tracer mass balance regression to WHITEX data. In *Transactions, Visibility and Fine Particles*, C.V. Mathai, Ed. A&WMA, Pittsburgh, pp. 806-818.
- Mueller, P.K. (1980). Comments on the advances in the analysis of air contaminants. *JAPCA*, **30**, 988-998.
- Mueller, P.K. and Jansen, J.J. (1983) Practical aspects of quality control and assurance for precipitation chemistry measurements. *76th Annual Meeting of the Air Pollution Control Association*, Atlanta, GA.
- Perry, K.D., Cahill, T.A., Eldred, R.A., Dutcher, D.D. (1997). Long-range transport of North African dust to the eastern United States, *J. Geophys. Res.*, **102**, 11,255-11,238.
- Pierce, T. and Waldruff, P. (1991) PC-BEIS: a personal computer version of the biogenic emissions inventory system. *J. of Air & Waste Mgmt. Asso.* **41**, 937-941.
- Pitchford, A.; Pitchford, M.; Malm, W.; Flocchini, R.; Cahill, T.; Walther, E. (1981) Regional analysis of factors affecting visual air quality. *Atmos. Environ.* **15**, 2043-2054.

- Pitchford M., Green M., Kuhns, H., Tombach I., Malm, W., Scruggs, M., Farber R., and Mirabella, V. (1999) Project MOHAVE Final Report, available from Desert Research Institute, 2215 Raggio Parkway, Reno, NV, 89512.
- Sisler, J.F., Malm, W.C., Gebhart, K.A. (1996), Spatial and seasonal patterns and long-term variability of the haze in the United States: An analysis of data from the IMPROVE network, Cooperative Institute for Research in the Atmosphere, Colorado State University, Fort Collins, CO.
- U.S. Dept. of the Interior (1983), Big Bend, Official National Park Handbook, National Park Service Division of Publications, U.S. Dept. of the Interior, Washington, D.C.
- Vimont J. C. (1997). Evaluation of the CALMET/CALPUFF Modeling System using Project MOHAVE Tracer and Implications for Sulfate Concentrations. Proceedings, Visual Air Quality, Aerosols & Global Radiation Balance, A&WMA, Pittsburgh, pp. 436-446.
- Watson, J.G., Liroy, P.J., Mueller, P.K. (1983). The measurement process: Precision, accuracy and validity. In *Air Sampling Instruments for Evaluation of Atmospheric Contaminants, 6th Edition*. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
- Watson, J.G., Liroy, P.J., Mueller, P.K. (1989). The measurement process: Precision, accuracy, and validity. In *Air Sampling Instruments for Evaluation of Atmospheric Contaminants*, Hering, S.V., Ed. American Conference of Governmental Industrial Hygienists, Cincinnati, OH, pp. 51-57.
- Watson, J.G., Liroy, P.J., Mueller, P.K. (1995). The measurement process: Precision, accuracy, and validity. In *Air Sampling Instruments for Evaluation of Atmospheric Contaminants*, Cohen, B. and Hering, S.V., Eds. American Conference of Governmental Industrial Hygienists, Cincinnati, OH, pp. 187-194.
- Weinke, D., and Hopke, P.K. (1994a) Projection of Prim's minimal spanning tree into Kohonen's neural network for identification of airborne particle sources by their multi-element trace patterns, *Anal. Chim., Acta* **291**, 1-18.
- Weinke, D., and Hopke, P.K. (1994b) Visual neural mapping technique for locating fine airborne article sources, *Environ. Sci. Technol.* **28**, 1015-1022.
- Weinke, D., Gao, N., and Hopke, P.K. (1994) Multiple site receptor modeling with a minimal spanning tree combined with a neural network, *Environ. Sci. technol.*, **28**, 1023-1030
- White, W. W.; Macias, E.S.; Kahl, J.D.; Samson, P.J., Molenaar, J.V.; Malm, W.C. (1994) On the potential for regional-scale emissions zoning as an air quality management tool for the Grand Canyon. *Atmos. Environ.*, **28**, 1035-1045

White W.H., R.J. Farber, M.C. Green, E.S. Macias, V.A. Mirabella, M.L. Pitchford, and L.A. Vasconcelos (1999). Tracking Regional Background in a Haze Attribution Experiment. *J. of Air & Waste Mgmt. Asso.*, **49**, 599-602.